


SANIPRO<br/>VIPER





# TABLE OF CONTENTS

Introducing the VIPER	3
Sanipro VIPER Compact System	4
Sanipro VIPER Light System	5
Sanipro VIPER Long Range	6
VIPER Technical Information	7
VIPER Technical Information	8
Contact Sanipro	9





### <u>INTRODUCING THE SANIPRO VIPER</u>

At SANIPRO, our team has dedicated decades to the development, testing, and distribution of high-quality, cost-effective, and innovative pipe relining systems sourced globally. Our solutions are engineered to provide operators with extended working time and user-friendly equipment, ensuring durable and reliable results with every application.

With an operational range of up to 265 feet (80 meters), VIPER® systems are ideally suited for applications in pipe cleaning, emergency services, construction, municipal maintenance, residential and connection inspections—including from main sewer lines—renovation projects, industrial settings, and other challenging environments.

All VIPER® models are designed for seamless navigation into pipe branches. Equipped with a switchable forward jetting nozzle for efficient blockage removal and a Full HD live camera, these systems ensure effective operation even in hard-to-reach areas.



## SANI VIPER



High Powered steerable jetter Nozzle with HD video camera

#### JET-POWERED, STEERABLE HD VIDEO NOZZLE

FOR MANY APPLICATIONS

### SANI VIPER® compact 60m







#### **FEATURES**

With 200 ft (60 m) hybrid hose (3/8")

Optionally with 165 ft (50 m) hybrid hose (1/2")

W x D x H:  $23 \times 20 \times 28$  inch ( $58 \times 52 \times 70$  cm) (handle retracted)

W x D x H: 23 x 20 x 43 inch (58  $\Re$  52 x 110 cm) (handle extended)

Weight 139 lbs (63 Kg) incl. 265 ft (80m) hybrid hose 3/8"

## SANI VIPER



High Powered steerable jetter Nozzle with HD video camera

#### JET-POWERED, STEERABLE HD VIDEO NOZZLE

FOR MANY APPLICATIONS

# SANI VIPER® Light The portable entry-level model. 30m





With 100 ft (30 m) hybrid hose (3/8") Optionally with 82 ft (25 m) hybrid hose 1/2" W x D x H:  $26 \times 9.5 \times 29$  inch ( $66 \times 24 \times 73$  cm)

Weight 64 lbs (29 Kg) incl. 100 ft (30 m) hybrid hose 3/8"



## SANI VIPER



High Powered steerable jetter Nozzle with HD video camera

#### JET-POWERED, STEERABLE HD VIDEO NOZZLE

FOR MANY APPLICATIONS

## SANI VIPER® Long Range The Powerhouse of the Viper Range 80m Cable





#### **FEATURES**

With 265 ft (80 m) hybrid hose (3/8")

Optionally with 230 ft (70 m) hybrid hose (1/2")

W x D x H: 23 x 25 x 28 inch (58 x 64 x 70 cm) (handle retracted)

W x D x H: 23 x 25 x 43 inch (58 x 64 x 110 cm) (handle extended)

Weight 139 lbs (63 Kg) incl. 265 ft (80m) hybrid hose (3/8")



## SANI VIPER TECHNICAL



### JET-POWERED, STEERABLE HD VIDEO NOZZLE

FOR MANY APPLICATIONS







#### **CAMERA**

- Full HD live camera 1080 x 1920 with digital zoom
- 160° wide-angle lens with 4mm (0.16") sapphire glas
- dimmable power-LED's for pipes up to DN 400mm (16")
- Sensor for inclination and direction indication
- locator Sonde 512 Hz / 640 Hz
- integrated forward jetting nozzle with exchangeable nozzle
- depth rating 100m (330 ft) with internal pressure monitoring
- stainless steel body with impact protection
- detachable from the Flex Segment thanks to the modular design
- diameter 40mm (1.6") length 40mm (1.6")
- spacer for pipes larger 3" (DN 80)

#### **HOSE TROLLEY**

- rugged, ergonomic aluminumframe, powder coated
- Extendable telescopic handle with swivel mount for the control unit
- Stepless reel brake, ball valve, tool compartment
- anti flat wheels + load assist slide rail
- 1/2" size fitting for connecting to jetters
- Umbrella with quick-coupling for easy mounting on the hose trolley
- Optional: Electric drum drive integrated in the hose trolley for convenient hose winding





## SANI VIPER TECHNICAL



### JET-POWERED, STEERABLE HD VIDEO NOZZLE

FOR MANY APPLICATIONS








#### **FLEX SEGMENT**

- easy to steer into branches by simply turning the hose
- steering nozzle with exchangeable ceramic nozzle inserts
- integrated valve to switch the forward jetting nozzle
- rugged, highly flexible protective hose
- 6 pcs. cleaning and forward thrust nozzles, 30° angle
- exchangeable ceramic nozzle inserts, suitable for recycling water
- wear-resistant stainless steel components
- connection with quick connects
- Optional: Flex Segment with rotating nozzle and 3 interchangeable nozzle bodies in a rugged case

#### HYBRIDHOSE

- thermoplastic HP jetter hose 3/8" (DN 10) or 1/2" (DN 13)
- camera cable integrated in the jacket of the HP-hose
- rated 4300 psi (300 BAR), length up to more than 330ft (100 m)
- little pressure loss, abrasion resistant, floatable and low friction
- same quick connects on each side
- reversible for even wear
- can be extended with optionally available hose-connector





Trenchless Equipment that you can TRUST!




Follow us on Social Media for the latest updates & Exclusive Promotions

info@whydig.com.au www.saniproglobal.com



FACEBOOK





INSTAGRAM